Author Index

Abanades, J. C., 1

Bachiorrini, A., 93
Beeckmans, J. M., 227
Besançon, P., 219
Bilbao, R., 1

Carstensen, J. T., 101
Carter, B., 263
Chan, R., 77
Chastang, J., 219
Chiba, S., 69
Christensen, I. N., 243
Clift, R., 263
Concha, F. J., 267
Cooker, B., 117

Dabak, T., 193
Delmastro, A., 93
Doelker, E., 207
Dry, R. J., 7, 243
Drzymala, J., 251
Duncan-Hewitt, W. C., 17

Ells, T. S., 69
Endo, C., 167
Ertel, K. D., 101

Fell, J. T., 215
Frigot, P., 219

Ghadiri, M., 263
Gibbs, B. M., 107
Gillis, G. R., 257
Grant, D. J. W., 17
Grewal, N. S., 149
Gullett, B. K., 257
Gurny, R., 207

Hajicek, D. R., 149
Hashimoto, A., 171
Honma, T., 167

Iyer, B., 101

Jánosi, A., 207
Jiang, T. L., 35
Jiang, T. S., 35
Jury, A. W., 263

Kanda, Y., 167
Kielkowska, M. M., 251
Kikuchi, M., 167
Kono, H. O., 49, 69
Kuno, H., 187

Lafaye, A., 219
Lekki, J., 251
Lezaun, J., 1
Liu, Y. A., 77
Luangtana-Anan, M., 215

Matin, N., 207
Menacho, J. M., 267
Menart, J., 149
Montanaro, L., 93
Morimoto, E., 69
Morin, B., 227
Mujumdar, A. S., 131
Mysak, L. P., 29

Nedderman, R. M., 117
Noordergraaf, I. W., 59

Passos, M. L., 131

Raghavan, G. S., 131
Ray, Y. C., 35
Richards, V. L., 261
Rogovin, Z., 179

Salam, T. F., 107
Sato, Y., 171
Schurz, J., 207
Siegell, J. H., 139
Soltani-Ahmadi, A., 49
Squires, A. M., 77
Standish, N., 233
Stevulová, N., 161
Suzuki, M., 49, 69

Tamura, K., 171
Ternan, M., 29
Thomas, B., 77
Tkačová, K., 161
Tsuchiya, M., 187

van Dijk, A., 59
van den Bleek, C. M., 59

White, C. C., 243
Williams, M. G., 101

Yoda, M., 171
Yu, A. B., 233
Yucel, O., 193

Zobeck, B. J., 149

© Elsevier Sequoia/Printed in The Netherlands

Powder Technology, *52* (1987) 281 - 283

Subject Index

Anhydrite reactivity to water
  influence of grinding on, 93
Applicability of Parmentier–Fuhrer equation
  to compression of dicalcium phosphate dihydrate, 101
Attrition
  particle population model for a fluidized bed with, 35

Ball wear in grinding mills
  mathematical model of: general solution, 267
Behaviour of large jetsam particles
  in fluidized beds, 263
Bending strength of glass
  effects of cracks on, 167

Carbonates and quartz
  change in structure and enthalpy of, accompanying grinding in air and aqueous environments, 161
Cellulose powders
  modified, for direct tableting; degrees of crystallinity and polymerization of, 207
Change in structure and enthalpy
  of carbonates and quartz accompanying grinding in air and aqueous environments, 161
Circulation
  and power consumption in helical ribbon powder agitators, 117
Coincidences in granulometry
  by resistance variation sampling, 219
Compaction
  or sintering, use of cumulative pore volume difference in study of pore changes occurring during, 187
Compression
  of dicalcium phosphate dihydrate, applicability of the Parmentier–Fuhrer equation to, 101
Concentration
  and particle size distribution, modelling the effects on rheology of highly concentrated suspensions, 193
Cracks
  effects of, on bending strength of glass, 167
Crushing
  using triaxial stress apparatus, 171
Crystallinity
  and polymerization of modified cellulose powders for direct tableting, degrees of, 207
Cyclic systems
  method for observing phase-dependent phenomena in: application to study of dynamics of vibrated beds of granular solids, 77
Cyclone
  effect of particulate solids on pressure drop across, 227

Degrees of crystallinity and polymerization
  of modified cellulose powders for direct tableting, 207
Dicalcium phosphate dihydrate
  applicability of Parmentier–Fuhrer equation to compression of, 101
Dimensional changes of porous solids
  during mercury porosimetry, hysteresis caused by, 29
Dispersion
  electrostatic, of yttria-stabilized zirconia, 261
Dynamics of vibrated beds of granular solids
  application of method for observing phase-dependent phenomena in cyclic systems to study of, 77

Effect
  of cracks on bending strength of glass, 167
  of particulate solids on pressure drop across a cyclone, 227
Electrostatic dispersion
  of yttria-stabilized zirconia, 261
Emulsion phase characterization
  and transition between particulate and bubbling fluidization, quantitative criteria for, 69

Flotation system
  germanium–sodium oleate, study of, 251
Fluidization
  particulate and bubbling, and emulsion phase characterization, quantitative criteria for transition between, 69
  and slugging in large-particle systems, 59
  velocities of sand/straw binary mixtures, 1
Fluidized bed combustor
  heat transfer to horizontal tubes immersed in, 149
Fluidized beds
  with attrition, particle population model for, 35
  behaviour of large jetsam particles in, 263
  coarse particles, kinetic forces of solid particles in, 49
  fast, radial particle size segregation in, 7
  high-velocity, gas–slids contact efficiency in, 243
  solid circulation between, using jet pumps, 107

Gas–solids contact efficiency
  in a high-velocity fluidized bed, 243
Germanium–sodium oleate flotation system
  study of, 251
Glass
  effects of cracks on bending strength of, 167
Granulometry
  coincidences in, by resistance variation sampling, 219

© Elsevier Sequoia/Printed in The Netherlands

Granular solids
dynamics of vibrated beds of; method for observing phase-dependent phenomena in cyclic systems: application to study of, 77
Grinding
of carbonates and quartz in air and aqueous environments, changes in structure and enthalpy accompanying, 161
influence of, on anhydrite reactivity to water, 93
Grinding mills
mathematical model of ball wear in: general solution, 267

Heat transfer
to horizontal tubes immersed in a fluidized bed combustor 149
Helical ribbon powder agitators
power consumption and circulation in, 117
Horizontal tubes immersed in a fluidized bed combustor
heat transfer to, 149
Hydrocyclones
and tumbling mills, possible slurry routes inside, as deduced from an RDT model, 179
Hysteresis
caused by dimensional changes of porous solids during mercury porosimetry, 29

Impact fracture wear test
novel method of evaluation, 17
Influence of grinding
on anhydrite reactivity to water, 93

Jet pumps
solid circulation between fluidized beds using, 107
Jetsam particles
large, in fluidized beds, behaviour of, 263

Kinetic forces
of solid particles in coarse particles fluidized beds, 49

Laboratory feeders
low flow rate, for agglomerative particles, 257
Liquid-fluidized magnetically stabilized beds, 139
Low flow rate laboratory feeders
for agglomerative particles, 257

Mathematical model
of ball wear in grinding mills: general solution, 267
Mercury porosimetry
hysteresis caused by dimensional changes of porous solids during, 29
Mixtures
binary, of sand/straw; fluidization velocities of, 1
multi-component, of spherical particles; porosity calculations of, 233
Modelling
of concentration and particle size distribution effects on rheology of highly concentrated suspensions, 193

Parmentier–Fuhrer equation
applicability to compression of dicalcium phosphate dihydrate, 101
Particle population model
for a fluidized bed with attrition, 35
Particles
agglomerative, low flow rate laboratory feeders for, 257
feeders for, 257
large jetsam, in fluidized beds, behaviour of, 263
radial, size segregation of, in a fast-fluidized bed, 7
solid, kinetic forces of, in coarse particles fluidized beds, 49
Particle size distribution
and concentration, modelling effects on rheology of highly concentrated suspensions, 193
Phase-dependent phenomena in cyclic systems
method for observing: application to study of dynamics of vibrated beds of granular solids, 77
Polymerization
and crystallinity of modified cellulose powders for direct tableting, degrees of, 207
Pore volume difference
cumulative, in study of pore changes occurring during compaction or sintering; use of cumulative pore volume difference in study of, 187
Porosity calculations
of multi-component mixtures of spherical particles, 233
Possible slurry routes
inside tumbling mills and hydrocyclones as deduced from an RDT model, 179
Powders
surface free energy determination on, 215
Power consumption
and circulation in helical ribbon powder agitators, 117
Pressure drop
in slotted spouted beds of grains: comparison of data with models, 131

Quantitative criteria
for emulsion phase characterization and for transition between particulate and bubbling fluidization, 69
Quartz
and carbonates, changes in structure and enthalpy accompanying grinding in air and aqueous environments, 161

Radial particle size segregation
in a fast-fluidized bed, 7
RDT model
possible slurry routes inside tumbling mills and hydrocyclones as deduced from, 179
Rheology
of highly concentrated suspension, modelling of concentration and particle size distribution effects on, 193

Sand/straw binary mixtures
fluidization velocities of, 1

Segregation
size of radial particles in fast-fluidized bed, 7
Sintering
or compaction, use of cumulative pore volume difference in study of pore changes occurring during, 187
Slotted spouted beds
of grains, pressure drop in: comparison of data with models, 131
Slugging
and fluidization in large-particle systems, 59
Slurry routes
possible, inside tumbling mills and hydrocyclones as deduced from an RDT model, 179
Sodium oleate–germanium flotation system study of, 251
Solid circulation
between fluidized beds using jet pumps, 107
Solid particles
kinetic forces of, in coarse particles fluidized beds, 49
Solids
particulate, effect of, on pressure drop across a cyclone, 227
porous, hysteresis caused by dimensional changes of, during mercury porosimetry, 29
Study of germanium–sodium oleate flotation system, 251
Surface free energy determination
on powders, 215
Suspensions
highly concentrated, modelling of concentration and particle size distribution effects on rheology of, 193

Transition between particulate and bubbling fluidization
and emulsion phase characterization, quantitative criteria for, 69
Triaxial stress apparatus
method of crushing using, 171
Tumbling mills
and hydrocyclones, possible slurry routes inside, as deduced from an RDT model, 179

Use of cumulative pore volume difference
in study of pore changes occurring during compaction or sintering, 187

Velocities
fluidization, of sand/straw binary mixtures, 1

Zirconia
yttria-stabilized, electrostatic dispersion of, 261